



भांडागारण विकास और विनियामक प्राधिकरण

भारत सरकार

एन सीयू आई भवन, चौथी मंजिल, 3, सीरी इंस्टीट्यूशनल एरिया, अगस्त क्रान्ति मार्ग,
हाज खस, नई दिल्ली - 110016, दूरभाष - :49536496, 49092978

Warehousing Development and Regulatory Authority
Government of India

NCUI Building, 4th Floor, 3, Siri Institutional Area, August Kranti Marg,
Hauz Khas, New Delhi - 110016, Tel. No. 49536496, 49092978



फाइल न. T-21035/2/2023-IT /3252

दिनांक : 17.01.2025

Modified ADDENDUM-II

Guidelines on empanelment of inspection agencies and inspection of warehouses

This is being issued in addition to the Inspection Guidelines being followed in WDRA as per the Guidelines on empanelment of inspection agencies and inspection of warehouses dated 28.02.2022.

Considering volume of works involved in each inspection, following additional instructions must be strictly followed by IOs:

- i. Stock/ General Inspection: The IO is allowed to inspect one warehouse per day.
- ii. Physical Inspection: In case, capacity of each warehouse is up to 5000 MT and both warehouses are within a distance of 25 km, then an IO is allowed to inspect maximum two physical inspections per day.
- iii. Inspection photographs shall be Time, Date and Latitude & Longitude (Geo Coordinates) stamped.
- iv. In the event of any breach of aforesaid conditions, no payments will be made to the Inspection Agencies.

This issues with the approval of Authority.

रचना शालिनी
17.1.25

(डा. रचना शालिनी)

उप निदेशक (संचालन)