

Common Name:

Hindi	English Name	Botanical Name
तोरीआ	Taramira, Rapeseed	Brassica rapa, B.napus

1. Rapeseed shall be.-

- clean, wholesome reasonably uniform in size, shape and color, free from argemone seeds.
- free from obnoxious smell and fungus infestation..

2. Variety.....(to be filled by assayer)**3. Actual Picture of the lot.....(to be uploaded by assayer)****4. Criteria for Range designation**

S.No.	Tradable parameters	Range-1	Range-2	Range-3
A	Primary			
i	Oil content(%by wt) Min.	40.0	35.0-40.0	Below 35.0
ii	Moisture (%by wt) Max.	8.0	9.0	10.0
iii	Foreign matter (%by wt) Max.	3.0	5.0	5.0
iv	Damaged and discolored seeds(%by wt)Max.	3.0	5.0	5.0
v	Other edible seeds (%by wt) Max..	0.5	0.8	1.0
vi	Range Acceptance	95 %	90 %	85 %
B	Optional (Industrial/Processors)			
vi	Allyl iso thiocynate(m/m) On dry basis	Not less than 0.7 percent by weight		

5. Sampling:

- 5 % or minimum one packing unit shall be randomly selected for sampling.
- 100 gm shall be drawn from each selected packing unit and shall be mixed homogenously , called as primary sample.
- 50 gm shall be drawn from primary sample called as Laboratory sample

Optional parameters are voluntary and may be analyzed as per buyer-seller agreement.